

Last update on 2024-10-11

Technology & Inno

B-WaterSmart Project B-WaterSmart

Lisboa, Portugal , Portugal





# Description

Like many European regions and cities, Lisbon, the capital city of Portugal, faces water challenges related to (i) increased population concentration and a growing economy, (ii) the effects of climate change (heat waves, heat islands, droughts), (iii) the need to expand urban green areas, as a green-blue problem-solving infrastructure to ensure citizens' quality of life and the sustainability of urban living, and (iv) the need to reduce the current use of drinking water for non-potable municipal water uses.

The Lisbon Living Lab (Lisbon LL) addressed these challenges by focusing its action on smart urban water allocation (i.e., fit-for-purpose), safe reuse and efficiency at the municipal level. The key drivers were to (i) reduce dependence on freshwater and eliminate the use of drinking water for municipal non-potable uses, (ii) introduce standards for buildings, and (iii) prepare for potable reuse to anticipate increased water scarcity while building trust and acceptance on this alternative water source for current non-potable uses in Lisbon and beyond.

Within the B-WaterSmart project, the Lisbon LL deployed the following innovations:

- a smart-water allocation four tool set, which implements an integrated approach for selecting and prioritising [environment for decision support <u>digital</u> tool] the alternatives that best meet the current and planned/forecasted demand for water (in quantity and quality) in a city or region, in terms of technical, environmental and economic performance [balance planning <u>digital</u> tool] and safety [risk assessment <u>digital</u> tool and water quality modelling <u>digital</u> tool, for assessing and managing the risk associated with water reuse];
- a climate-readiness certification scheme for buildings [one digital tool];
- an urban water cycle observatory, for informing and engaging stakeholders & society [one digital tool];
- a protocol for direct potable reuse in craft beer industry, based on a pilot demo of advanced treatment <u>technology</u>.

The Environment for Decision Support and Selection of Alternative Courses of Action is a numerical and visual decisional environment that enables non-experts to easily comprehend the decisional problem around water-smart allocation for urban non-potable uses. This tool implements a curated set of specifically designed metrics for the strategic and tactical prioritization of regional or urban supply/demand solutions involving potable and non-potable water. It is tailored to the decisional problem laid out by the water-energy-phosphorus (W-E-P) balance planning module, which produces candidate supply/demand combinations. This tool goes beyond the state-of-the-art because it provides a strategic and tactical prioritization environment specific to the planning of urban non-potable water uses with a focus on water reuse..

The Water-Energy-Phosphorus Balance Planning Module implements a matchmaking framework for enabling a smart combination of the water sources and water demand points existing or planned in a city or region. This matching tool allows the design of supply solutions to a set of potential users of non-potable water. The resulting alternative combinations are further evaluated (risk, in case of water reuse) and then ranked within the smart water allocation tool set. This planning module goes beyond the state-of-the-art as it provides a new and sound ability to match water supply to demand, while managing water volume, energy, phosphorus, cost, and risk.

The **Risk Assessment for Urban Water Reuse Module** module enables a clear and comprehensive risk assessment and treatment of urban non-potable water reuse. The



framework operationalised by this tool for health and environmental risk assessment and management is mainly based on the relevant ISO standards, the Regulation (EU) 2020/741 on minimum requirements for water reuse and the groundwater's DRASTIC vulnerability index. The novel scenario building process helps define how far to take the building of risk scenarios, a recurrent challenge for water reuse practitioners and regulators, and facilitates the validation of the risk management framework. The health risk assessment module of non-potable water reuse goes beyond the state-of-the-art as the framework includes (i) an additional step for establishing the context and (ii) a description of the activities from which the hazard exposure scenarios may be built (risk identification step). Other key innovation of this tool is the model of risk management structured around three primary components (decision-makers, data elements and respective links).

The **Reclaimed Water Quality Model in the Distribution Network** is a complete hydraulic and water quality extended-period simulation model for pressure flow networks. By modelling the (bulk and wall) decay of residual chlorine, the key barrier for water microbial stability, this tool delivers a solution to the problem of analysing and assessing the environmental and public health risks posed by using pipe networks for transporting and distributing reclaimed water. This tool goes beyond the state-of-the-art because it implements a newly developed mechanistic model comprising bulk and wall residual chlorine decay. This model also highlights the importance of ammonia for managing chlorine residuals in reclaimed water distribution systems.

The **Climate Readiness Certification tool** acts as a mechanism to incentivize, monitor and guide decision makers to adopt more sustainable practices in buildings. This is achieved by establishing clear and measurable criteria that are effective in reducing water and energy consumption and in improving climate change adaptation. By classifying the performance of a dwelling, building or neighbourhood, and also identifying strengths and areas for improvements, the tool provides tangible information on the improvement opportunities to make the buildings more resilient to climate change. This tool goes beyond the state-of-the-art since it offers a comprehensive solution, providing a certification that addresses water use in buildings in a holistic perspective, combining three dimensions, i.e. water efficiency, water-energy nexus and climate adaptation.

The **Urban Water Cycle Observatory** is a data visualization instrument for analysing and communicating data related to water consumption, wastewater treatment and reclaimed water production in the city of Lisbon, to support planning and decision making. This tool goes beyond the state-of-the-art by making available on a public platform the information respective to the water use (consumption and treatment) in the city. Because it is updated annually, citizens can be better informed on sustainability matters. It also makes available a private area of this platform to entities, such as the Lisbon Municipality, for them to have access to detailed information on water consumption data and data analysis results, to increase the water use efficiency on their installations.

A **Protocol for Safe Potable Reuse in the Beverage Industry** was developed to promote public confidence in the safety of water reuse. It was based on the results and lessons learned from a 24/7 pilot demo of different reclamation schemes including ultrafiltration, ozonation, biologically active carbon filtration and reverse osmosis. New data and knowledge were produced, both on the water quality requirements and on the reclamation technologies. The protocol includes (i) a discussion of the three key components (regulatory, technical, and public outreach) of direct potable reuse for craft beer production, and (ii) an analysis of the multi-barrier approach needed for safe direct potable reuse for craft beer production, the critical control points, and the monitoring.



# Facts of the applied technologies

UF (industrial scale) + pilot O3+BAC+RO. Pilot features:

- Capacity: 1.25 m<sup>3</sup>/h
- Water recovery rate: 70%
- Energy consumption (ozonation and reverse osmosis): 0.7 kWh/m<sup>3</sup>
- Energy self-sufficiency: ~60% with photovoltaic energy production

### Key performance indicators

Water quality effectiveness KPIs [Protocol for safe potable reuse in the beverage industry]:

- Compliance with drinking water quality standards according to the EU (DIRECTIVE (EU) 2020/2184) and national legislation (Decree-Law No. 69/2023)
- · Removal of pathogen indicators to absent
- Removal of PFAS to below LOQ
- · Removal of disinfection by-product to below LOQ
- Removal of pharmaceutically active compounds to below LOQ

No prior situation existed as this is a new product (reclaimed water for craft beer production).

### **Best practices**

A reclamation protocol for water reuse in craft beer production is presented in the B-WaterSmart public Deliverable 2.8.

### Synergistic benefits

A set of 4 complementary digital tools was designed to support the decision-making process for a smarter water allocation and safe water reuse – an environment for selection of alternative sources of action tool fed by a W-E-P planning module tool and, in case of water reuse, by a health and environmental risk assessment tool and a reclaimed water quality distribution modelling tool, a key instrument for risk management.

The health and environmental risk assessment tool makes available expert knowledge for risk managers and stakeholders responsible for non-potable water uses, guiding them through the often-complex process of licensing urban water reuse projects. Hopefully, this standardized solution may facilitate urban management policies for achieving a full integration of reclaimed water into the urban water supply systems, i.e., increasing urban water resilience.

The work undertaken by B-WaterSmart formed the basis for establishing a Water-Oriented Living Lab in Lisbon, aligning with the criteria set forth by Water Europe and embraced by the Water4All European partnership. The Lisbon Water Smart Living Lab (Lisbon WOLL) was recently recognized in the "Atlas of EU water-oriented living labs" (2024).



### Key lessons

The impact of the Lisbon LL solutions developed is granted by the tools as a coherent set of accelerators/facilitators of the transformation of Lisbon into a water smarter city, quantitatively measured by the BWS Assessment Framework tool. The tools contributed to the transition process feasibility as follows:

- <u>Technical feasibility</u> by demonstrating direct potable reuse at pilot scale (technology: water reclamation protocol); by prioritizing strategic and tactical planning options on water management [digital tools: environment for decision support and W-E-P planning module]; by guiding risk managers and stakeholders responsible for non-potable water uses [digital tool: risk assessment module]; by mapping and managing risk in reclaimed water distribution networks [digital tool: reclaimed water quality model]; by promoting water and water-energy efficiency in buildings [digital tool: climate-readiness certification].
- <u>Economic feasibility</u> by providing information for cost-benefit analysis of reclaimed water use, including phosphorus and energy [digital tools: decision support and W-E-P planning module] and direct potable reuse [technology: water reclamation protocol].
- <u>Social acceptability</u> by building the trust on water reclamation and reuse, associated to a
  pleasant social activity, e.g. beer drink events if water reclamation can be safe and
  reliable for the reclaimed water to be used in beer production, it should be easier to safely
  treat it for non-potable uses [technology: water reclamation protocol]; by providing an easy
  to understand and communicate risk assessment method [digital tool: risk assessment
  module]; by increasing the citizens' awareness about the local context regarding the water
  use in the city and informing individual entities about their water consumption [digital tool:
  urban water cycle observatory].

#### Lessons learned from technology operation

- The practical implementation of new directives on drinking water and urban wastewater treatment will likely be hampered by the current limitations (LOQ, cost, time) of the commercial offer on micropollutant analysis.
- Undue salt intrusions to the drainage system have an impact on the RO-based water reclamation process and must therefore be controlled.

### Legislation and policy recommendations

In the context of the Lisbon LL, particularly for water reuse, relevant legislation includes:

- European Regulation Reg. (EU) 741/2020 on minimum requirements for water reuse in agricultural irrigation
- Urban waste-water treatment Directive recast (under approval)
- Directive (EU) 2020/2184 on the quality of water intended for human consumption (recast)
- Portuguese Decree-Law 119/2019 on water reuse

### **Applied technologies**

- Activated carbon treatment coupled to an AOP
- Reverse Osmosis
- UV/Ozone



# **Applied products**

#### Environment for decision support and alternative course selection

-							
CONE 2			Data	tanking	3D Cube		booej Sérgio C
BJECTIVES	~						
TIMESTEPS	*			Planning			
1ETRICS	^	2023	2024	2025	2026	2027	
400 Satisfied Demand	A.600 0 - Status quo						
401 Reclaimed water used	MOD	100.00	100.00	100.00	100.00	100.00	
02 Reclaimed water use vs availa	ab Satisfied Demand	3.00	3.00	3.00	3.00	3.00	
103 Energy consumption	M01	0.00	0.00	0.00	0.00	0.00	
104 Carbon footprint of energy co	Reclaimed water used						
105 P.fectilizer production avoide	M02	0.00	0.00	0.00	0.00	0.00	
ADD CADEY	availability						
407 OPEX	M03	0.68	0.66	0.66	0.66	0.66	
100 Total cost	Energy consumption	0.20	0.20	0.20	0.20	0.20	
	Carbon footprint of energy consumption	2.40	2.40	2.45	2.40	2.40	
ADD METRIC	M05	0.00	0.00	0.00	0.00	0.00	
TERNATIVES	P-fertilizer production avoided						
cremonites	MOG	0.05	0.05	0.05	0.05	0.05	
TLE INFO	V LUPEA	0.10	0.10	2.42	2.40	2.50	
MPORT/EXPORT	V OPEX	0.00	0.00	0.00	0.00	0.00	
	MOS	2.17	2.22	2.47	2.53	2.50	
AATCHMAKING ANALYSIS LINK	<ul> <li>Total cost</li> </ul>						
LINK TO MATCHMAKING ANALYSES	A.601 1 - Easy win						
Parque Tejo	MOO	100.00	100.00	100.00	100.00	100.00	
090	Satisfied Demand						
	M01 Reclaimed water used	0.00	0.00	0.00	0.00	0.00	
	MQ2	0.00	0.00	0.00	0.00	0.00	
	Reclaimed water use vs availability	0.00	0.00				
	M03	0.43	0.43	0.43	0.43	0.43	
	thergy consumption	1.70	1.70	1.70	1.70	1.70	
	Carbon footprint of energy consumption	2.00	2.00	2.00	2.90	2.50	
	MOS	0.00	0.00	0.00	0.00	0.00	
	P-fertilizer production avoided						

https://mp.watereurope.eu/d/Product/66

### Risk Assessment for urban water reuse module

•	•• <b>•</b> • <b>•</b> •	< > + 🕅 🕕 👔 bwatersmart.baseform.com/?openSDFile=2818copenEntity=6 🤫 🖒 🖞						
	) < Demand Risk Asses	baceform Sérgio Coelho	0					
•	olumn selection: 20 selected 🗸				OPEN DEMAND CREATE SCEN	ARIO		
	EXPOSURE SCENARIO ~	HAZARD	EXPOSURE ROUTE	EXPOSURE SITE	POPULATION AT RISK	ACTI		
>	Scnl	Pathogenic bacteria - Legionella	Inhalation - Direct route	Zone - Lawns	Users - Weakened immune system	Usin		
>	Scn2	Pathogenic bacteria - Legionella	Inhalation - Direct route	Zone - Lawns	Users - Competent immune system	Usin		
>	Scn3	Pathogenic bacteria - Legionella	Inhalation - Direct route	Zone - Lawns	Users - Weakened immune system	Usin		
>	Scn4	Pathogenic bacteria (indicator)	Ingestion - Indirect route	Zone - Flowerbeds	Workers - Competent immune system	Mair		
>	Scn5	Pathogenic bacteria - Legionella	Inhalation - Direct route	Zone - Lawns	Workers - Competent immune system	Mair		

https://mp.watereurope.eu/d/Product/67

### **Urban Water Cycle Observatory**

observatórios LISBOA



https://mp.watereurope.eu/d/Product/34

### Reclaimed water distribution network water quality model



https://mp.watereurope.eu/d/Product/51

#### Water-energy-phosphorous balance planning module



https://mp.watereurope.eu/d/Product/55

#### **Climate Ready Certificates**



https://mp.watereurope.eu/d/Product/31

ID: 45



# **Publications and references**

- Rosa M.J., Ribeiro R., Viegas R., Oliveira M., Teixeira P., Figueiredo D., Lourinho R., Mendes R., Fernandes J., Alpalhão J., Coelho S.T., Vitorino D., Andrade D. (2024) B-WaterSmart solutions for Lisbon - Summary report. B-WaterSmart D2.15. August.
- Figueiredo D., Lourinho R., Viegas R.M.C., Mesquita E., Rosa M.J. (2024) A reclamation protocol for water reuse in craft beer production. B-WaterSmart D2.8. May.
- Costa, J., Mesquita, E., Ferreira, F., Rosa, M. J., and Viegas, R. M. (2021). Identification and modelling of chlorine decay mechanisms in reclaimed water containing ammonia. *Sustainability*, 13(24), 13548.
- Costa J., Ferreira F., Viegas R.M.C. (2022) Modelling chlorine decay in reclaimed water distribution systems. *Águas e Resíduos* iV.11.
- Costa J., Mesquita E., Ferreira F., Figueiredo D., Rosa M.J., Viegas R.M.C. (2023) Modeling Chlorine Decay in Reclaimed Water Distribution Systems—A Lisbon Area Case Study. *Sustainability* 15(23), 16211.
- Ribeiro R., Rosa M.J. (2024) The Role of Scenario-Building in Risk Assessment and Decision-Making on Urban Water Reuse. *Water* 2024, 16(18), 2674.
- Viegas R.M.C., Costa J., Mesquita E., Ferreira F., Rosa M.J. (2023) Mechanistic modelling of chlorine decay in reclaimed water containing ammonia. 13th IWA International Conference on Water Reclamation and Reuse, Chennai, India, 15-19 January (conference paper)
- Viegas R.M.C., Figueiredo D., Mesquita E., Charrua S., Costa C., Lourinho R., Rosa M.J. (2025) Pilot-scale studies of advanced wastewater treatment for direct potable water reuse for beer production. 14th IWA International Conference on Water Reclamation and Reuse, Cape Town, South Africa, 16-20 March (conference paper)
- Viegas R.M.C., Costa J., Mesquita E., Figueiredo D., Coelho S.T., Teixeira P., Rosa M.J. (2025) Mechanistic modelling of chlorine decay in reclaimed water distribution systems – case study applications. 14th IWA International Conference on Water Reclamation and Reuse, Cape Town, South Africa, 16-20 March (conference paper)

# Scales

Operational scales of this case study related to the application of tools and technologyies

- Local scale
- City scale
- Metropolitan scale

# Challenges

Challenges that are addressed through the application of tools and/or technologies to the case study

- High drinking water demand due to dense or growing resident population and economy
- Untapped efficiency potential of water resources
- Dependent on distant freshwater resources
- Other

## **Related tags**

[Water reuse] [Circular Economy] [Alternative water sources] [Water demand]
Better-informed society micropollutant removal climate change adaptation
[water-energy efficiency] [water security and resilience] [risk assessment]
advanced water reclamation awareness

# **Contact data**

#### **Contact person**

Pedro Teixeira (pedro.teixeira@cm-lisboa.pt, CML); Maria Joao Rosa (mjrosa@lnec.pt, LNEC); Rita Ribeiro (rribeiro@lnec.pt)

#### Involved organisations



Agência Nacional de Energia (ADENE)



Águas do Tejo Atlântico, S.A. (AdTA)



BASEFORM



Câmara Municipal de Lisboa (CML)





Instituto de Ciências Sociais da Universidade de Lisboa (ICS)



Laboratório Nacional de Engenharia Civil E.P. (LNEC)



URL

https://b-watersmart.eu/living-lab/lisbon-portugal/